

```
default      17:18:36.739804-0400    runningboardd    Acquiring assertion
targeting
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324] from originator
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324] with description
<RBSAssertionDescriptorl "AppNap adapter assertion" ID:414-35324-259220
target:35324 attributes:[
    <RBSAcquisitionCompletionAttributel policy:AfterApplication>,
    <RBSDomainAttributel domain:"com.apple.appnap" name:"Enable"
sourceEnvironment:"(null)">,
    <RBSDomainAttributel domain:"com.apple.appnap"
name:"PreventTimerThrottleTier5" sourceEnvironment:"(null)">
    ]>
default      17:18:36.739994-0400    runningboardd    Assertion
414-35324-259220 (target:
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324]) will be created as
active
default      17:18:36.740643-0400    runningboardd
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324] Ignoring jetsam
update because this process is not memory-managed
default      17:18:36.740665-0400    runningboardd
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324] Ignoring suspend
because this process is not lifecycle managed
default      17:18:36.740683-0400    runningboardd
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324] Ignoring GPU
update because this process is not GPU managed
default      17:18:36.740720-0400    runningboardd
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324] Ignoring memory
limit update because this process is not memory-managed
default      17:18:36.740931-0400    runningboardd    Process:
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324] has changes in
inheritances: {(
```

```
<RBSInheritancel environment:(none) name:com.apple.launchservices.userfacing
origID:414-375-259197 0>
)}
default      17:18:36.742196-0400    runningboardd    Invalidating assertion
414-35324-259198 (target:
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324]) from originator
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324]
default      17:18:36.743005-0400    gamepolicyd Received state update for 35324
(xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324, running-NotVisible
default      17:18:36.844687-0400    runningboardd    Process:
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324] has changes in
inheritances: {(
  <RBSInheritancel environment:(none) name:com.apple.launchservices.userfacing
origID:414-375-259197 0>
)}
default      17:18:36.844867-0400    runningboardd
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324] Ignoring jetsam
update because this process is not memory-managed
default      17:18:36.845058-0400    runningboardd
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324] Ignoring suspend
because this process is not lifecycle managed
default      17:18:36.845093-0400    runningboardd
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324] Ignoring GPU
update because this process is not GPU managed
default      17:18:36.845268-0400    runningboardd
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324] Ignoring memory
limit update because this process is not memory-managed
default      17:18:36.845326-0400    runningboardd
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324] Set AppNap state:
```

```

<RBMutableProcessAppNapState10x136e606b0 enabled:Y active:Y socket:Y disk:Y
priority:Y cpu:Y timer:Tier5>
default      17:18:36.846939-0400    gamepolicyd Received state update for 35324
(xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324, running-NotVisible
default      17:18:38.455486-0400    runningboardd   Acquiring assertion
targeting
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288] from
originator [osservice<com.apple.coreservices.launchservicesd>:375] with description
<RBSAssertionDescriptor1 "frontmost:35288" ID:414-375-259221 target:35288
attributes:[
  <RBSDomainAttribute1 domain:"com.apple.launchservicesd"
name:"RoleUserInteractiveFocal" sourceEnvironment:"(null)">
]
default      17:18:38.455599-0400    runningboardd   Assertion 414-375-259221
(target:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]) will
be created as active
default      17:18:38.456594-0400    kernel Sandbox: ContextStoreAgent(659) allow
file-read-data /Applications/GarageSale.app
default      17:18:38.456710-0400    kernel Sandbox: ContextStoreAgent(659) allow
file-read-data /Applications/GarageSale.app/Contents
default      17:18:38.456764-0400    kernel Sandbox: ContextStoreAgent(659) allow
file-read-data /Applications/GarageSale.app/Contents/Info.plist
default      17:18:38.455801-0400    runningboardd   Acquiring assertion
targeting
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288] from
originator [osservice<com.apple.WindowServer(88)>:402] with description
<RBSAssertionDescriptor1 "FUSBFrontmostProcess" ID:414-402-259222 target:35288
attributes:[
  <RBSDomainAttribute1 domain:"com.apple.fuseboard" name:"Frontmost"
sourceEnvironment:"(null)">,
  <RBSAcquisitionCompletionAttribute1 policy:AfterApplication>
]
default      17:18:38.455866-0400    runningboardd   Assertion 414-402-259222
(target:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]) will
be created as active
default      17:18:38.456784-0400    GarageSale order window front conditionally:
8c7 related: 0
default      17:18:38.457425-0400    GarageSale order window: 8c6 op: -1 relative:
8c7 related: 0
default      17:18:38.457833-0400    kernel Sandbox: ContextStoreAgent(659) allow
file-read-data /Applications/GarageSale.app
default      17:18:38.458081-0400    kernel Sandbox: ContextStoreAgent(659) allow
file-read-data /Applications/GarageSale.app/Contents/MacOS/GarageSale

```

default 17:18:38.461009-0400 runningboardd Acquiring assertion
targeting
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288] from
originator [osservice<com.apple.coreservices.launchservicesd>:375] with description
<RBSAssertionDescriptorl "notification:35288" ID:414-375-259223 target:35288
attributes:[
 <RBSDomainAttribute1 domain:"com.apple.launchservicesd"
name:"LSNotification" sourceEnvironment:"(null)">
]>
default 17:18:38.461085-0400 runningboardd Assertion 414-375-259223
(target:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]) will
be created as active
default 17:18:38.462394-0400 kernel 1 duplicate report for Sandbox:
ContextStoreAgent(659) allow file-read-data /Applications/GarageSale.app/Contents/
MacOS/GarageSale
default 17:18:38.462434-0400 kernel Sandbox: ContextStoreAgent(659) allow
file-read-xattr /Applications/GarageSale.app/Contents/MacOS/GarageSale
default 17:18:38.462620-0400 runningboardd
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]
Ignoring jetsam update because this process is not memory-managed
default 17:18:38.463016-0400 runningboardd
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]
Ignoring suspend because this process is not lifecycle managed
default 17:18:38.463418-0400 runningboardd
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288] Set
darwin role to: UserInteractiveFocal
default 17:18:38.463634-0400 runningboardd
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]
Ignoring GPU update because this process is not GPU managed
default 17:18:38.464128-0400 runningboardd
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]
Ignoring memory limit update because this process is not memory-managed
default 17:18:38.462637-0400 runningboardd Calculated state for
app<application.com.iwascoding.garagesale9.43466292.43466546(501)>: running-
active (role: UserInteractiveFocal)
default 17:18:38.464538-0400 runningboardd
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]
Ignoring jetsam update because this process is not memory-managed
default 17:18:38.464664-0400 runningboardd
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]
Ignoring suspend because this process is not lifecycle managed
default 17:18:38.464802-0400 runningboardd
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]
Ignoring GPU update because this process is not GPU managed
default 17:18:38.465039-0400 runningboardd
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]

```
Ignoring memory limit update because this process is not memory-managed
default      17:18:38.464648-0400    runningboardd    Calculated state for
app<application.com.iwascoding.garagesale9.43466292.43466546(501)>: running-
active (role: UserInteractiveFocal)
default      17:18:38.465573-0400    runningboardd
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]
Ignoring jetsam update because this process is not memory-managed
default      17:18:38.465749-0400    runningboardd
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]
Ignoring suspend because this process is not lifecycle managed
default      17:18:38.465886-0400    runningboardd
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]
Ignoring GPU update because this process is not GPU managed
default      17:18:38.466075-0400    runningboardd
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]
Ignoring memory limit update because this process is not memory-managed
default      17:18:38.466293-0400    runningboardd    Process:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288] has
changes in inheritances: {(
  <RBSInheritancel environment:(none) name:com.apple.launchservices.userfacing
origID:414-375-259172 0>,
  <RBSInheritancel environment:(none) name:com.apple.frontboard.visibility
origID:414-402-259179 0>,
  <RBSInheritancel environment:(none) name:com.apple.frontboard.visibility
origID:414-402-259222 0>
)}
default      17:18:38.466352-0400    runningboardd    Calculated state for
app<application.com.iwascoding.garagesale9.43466292.43466546(501)>: running-
active (role: UserInteractiveFocal)
default      17:18:38.466775-0400    runningboardd    Process:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]:
Sending inheritance changeset: <RBSInheritanceChangeSetI gained:{(
  <RBSInheritancel environment:(none) name:com.apple.frontboard.visibility
origID:414-402-259222 0>
)} lost:{(
)}>
default      17:18:38.467303-0400    runningboardd    Process:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288] has
changes in inheritances: {(
  <RBSInheritancel environment:(none) name:com.apple.frontboard.visibility
origID:414-402-259179 0>,
  <RBSInheritancel environment:(none) name:com.apple.frontboard.visibility
origID:414-402-259222 0>,
  <RBSInheritancel environment:(none) name:com.apple.launchservices.userfacing
origID:414-375-259172 0>,
  <RBSInheritancel environment:(none) name:com.apple.launchservices.userfacing
origID:414-375-259221 0>,
```

```
<RBSInheritancel environment:(none) name:com.apple.launchservices.userfacing
origID:414-375-259221 0>
)}
default      17:18:38.467241-0400    GarageSale  Gained inheritances: {(
  <RBSInheritancel environment:(none) name:com.apple.frontboard.visibility
origID:414-402-259222 0>
)}
default      17:18:38.468038-0400    runningboardd  Process:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288] has
changes in inheritances: {(
  <RBSInheritancel environment:(none) name:com.apple.frontboard.visibility
origID:414-402-259179 0>,
  <RBSInheritancel environment:(none) name:com.apple.frontboard.visibility
origID:414-402-259222 0>,
  <RBSInheritancel environment:(none) name:com.apple.launchservices.userfacing
origID:414-375-259172 0>,
  <RBSInheritancel environment:(none) name:com.apple.launchservices.userfacing
origID:414-375-259221 0>,
  <RBSInheritancel environment:(none) name:com.apple.launchservices.userfacing
origID:414-375-259221 0>
)}
default      17:18:38.468178-0400    runningboardd  Process:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]:
Sending inheritance changeset: <RBSInheritanceChangeSetI gained: {(
  <RBSInheritancel environment:(none) name:com.apple.launchservices.userfacing
origID:414-375-259221 0>,
  <RBSInheritancel environment:(none) name:com.apple.launchservices.userfacing
origID:414-375-259221 0>
)} lost: {(
)}>
default      17:18:38.468456-0400    GarageSale  Gained inheritances: {(
  <RBSInheritancel environment:(none) name:com.apple.launchservices.userfacing
origID:414-375-259221 0>,
  <RBSInheritancel environment:(none) name:com.apple.launchservices.userfacing
origID:414-375-259221 0>
)}
default      17:18:38.470232-0400    gamepolicyd  Received state update for 35288
(app<application.com.iwascoding.garagesale9.43466292.43466546(501)>, running-
active-NotVisible
default      17:18:38.477636-0400    GarageSale  [0x600002a90870] activating
connection: mach=false listener=false peer=false
name=com.apple.TextInputUI.xpc.CursorUIViewService
default      17:18:38.478841-0400    GarageSale  [0x600002a90870] invalidated
after the last release of the connection object
default      17:18:38.479020-0400    GarageSale  [0x106d79040] activating
connection: mach=false listener=false peer=false name=(anonymous)
default      17:18:38.479105-0400    GarageSale  [0x114f04080] activating
```

connection: mach=false listener=false peer=false name=(anonymous)
default 17:18:38.479243-0400 kernel Sandbox: ContextStoreAgent(659) allow
file-read-data /Applications/GarageSale.app/Contents/Info.plist
default 17:18:38.497889-0400 GarageSale -[TUINSCursorUIController
activate:]_block_invoke: Create CursorUIViewService: TUINSRemoteViewController
default 17:18:38.497994-0400 GarageSale [0x156b63ff0] invalidated on
xpc_connection_cancel()
default 17:18:38.498011-0400 GarageSale [0x106d31cc0] invalidated on
xpc_connection_cancel()
default 17:18:38.587738-0400 GarageSale <<< URLAsset >>>
FigAssetCreateWithURL: Called for asset 0x600000f3f400 by client [], url
[0x600003136e80] [] createFlags 0x108 optionsDict (null)
default 17:18:38.588635-0400 GarageSale <<<< FigCustomURLHandling
>>>> FigCustomURLLoaderCreate: newLoader: 0x600003d15340
default 17:18:38.588656-0400 GarageSale <<<< FigCustomURLHandling
>>>> FigCustomURLHandlerCreate: newHandler:
com.apple.avfoundation.customurl.cfurlconnection.0x6000020ed8c0 options: (null)
default 17:18:38.588670-0400 GarageSale <<<< FigCustomURLHandling
>>>> curl_installHandlerOnQueue: 0x600003d15360: handler: 0x6000020ed8c0
priority: 100
default 17:18:38.588700-0400 GarageSale <<<< FigCustomURLHandling
>>>> FigCustomURLHandlerCreate: newHandler:
com.apple.avfoundation.authkeychain.0x6000020efa80 options: (null)
default 17:18:38.588713-0400 GarageSale <<<< FigCustomURLHandling
>>>> curl_installHandlerOnQueue: 0x600003d15360: handler: 0x6000020efa80
priority: 800
default 17:18:38.594217-0400 GarageSale [0x125e7bb60] activating
connection: mach=true listener=false peer=false
name=com.apple.audio.AudioComponentRegistrar
default 17:18:38.600476-0400 GarageSale [0x600002aa1fe0] activating
connection: mach=false listener=false peer=false
name=com.apple.audio.SandboxHelper
default 17:18:38.631752-0400 GarageSale [0x600002aa1fe0] invalidated
after the last release of the connection object
default 17:18:38.640434-0400 GarageSale order window front conditionally:
8c6 related: 0
default 17:18:38.640513-0400 GarageSale parent NSOpenPanel
0x107d12790 (8c7) remove NSAccessoryViewWindow 0x1079170c0 (8c9) from group
default 17:18:38.902410-0400 GarageSale parent NSWindow 0x156b67f70
(8c6) remove NSOpenPanel 0x107d12790 (8c7) from group
default 17:18:38.909279-0400 GarageSale order window: 8c7 op: 0 relative:
0 related: 0
default 17:18:38.919548-0400 GarageSale [0x156b90100] invalidated on
xpc_connection_cancel()
default 17:18:38.919580-0400 GarageSale [0x106d5ec00] invalidated on
xpc_connection_cancel()
default 17:18:38.919697-0400 GarageSale parent NSOpenPanel

```
0x107d12790 (8c7) remove NSAccessoryViewWindow 0x1079170c0 (8c9) from group
default      17:18:38.923871-0400    GarageSale [0x1127086e0] invalidated on
xpc_connection_cancel()
default      17:18:38.928529-0400    GarageSale <<<< FigAssetExportSession
>>>> FigAssetExportSessionCreateWithAsset: 0x106d5e8a0
default      17:18:38.929584-0400    GarageSale <<<< AVAssetInspectorLoader
>>>> handleFigAssetLoadingNotification: Received
kFigAssetNotification_BatchPropertyLoadComplete (payload: {
    "assetPayload_BatchID" = 1;
})
default      17:18:38.930090-0400    GarageSale <<<< AVAssetInspectorLoader
>>>> -[AVFigAssetInspectorLoader _invokeCompletionHandlerForLoadingBatches]: No
completed batches
default      17:18:38.934963-0400    GarageSale <<<< FigAssetExportSession
>>>> figAssetExportSession_ExportAsynchronously: 0x106d5e8a0
default      17:18:38.934999-0400    GarageSale <<<< FigAssetExportSession
>>>> figAssetExportSession_validateOutputFileTypeForExport: 0x106d5e8a0
default      17:18:38.935015-0400    GarageSale <<<< FigAssetExportSession
>>>> figAssetExportSession_transitionToStatus: 0x106d5e8a0 newStatus 2
default      17:18:38.935062-0400    GarageSale <<<< FigAssetExportSession
>>>> figAssetExportSession_createRemakerAndBeginExport: 0x106d5e8a0
default      17:18:38.936110-0400    GarageSale [0x600002a8c3c0] activating
connection: mach=true listener=false peer=false
name=com.apple.powerlog.plxplogger.xpc
default      17:18:38.938255-0400    GarageSale <<<< Remaker >>>>
remaker_SetTimeRange: (0x115cc6bb0) [0.000,inf]
default      17:18:38.938482-0400    GarageSale <<<< Remaker >>>>
remaker_SetTimeRange: (0x107918950) [0.000,inf]
default      17:18:38.939028-0400    GarageSale <<<< Remaker >>>>
remaker_AddAudioTrackWithPreset: (0x107918950) audioPreset (null) sourceTrackID 1
default      17:18:38.939058-0400    GarageSale <<<< Remaker >>>>
remaker_AddPassthroughTrackWithOptions: (0x107918950) id 1
default      17:18:38.940855-0400    GarageSale <<<< Remaker >>>>
remaker_AddPassthroughTrackWithOptions: (0x107918950) id 2
default      17:18:38.941255-0400    GarageSale <<<< FigExportCommon >>>>
remakerFamily_Finalize: (0x115cc6bb0) state created
default      17:18:38.941287-0400    GarageSale <<< URLAsset >>>
URLAssetFinalize: Called for asset 0x600000fa3f80
default      17:18:38.941426-0400    GarageSale <<<< Remaker >>>>
remaker_StartOutput: (0x107918950) Starting
default      17:18:38.941879-0400    GarageSale <<<< Boss >>>>
bossBuildMentorForTrack: (0x107917310) track 1 (soun) enableForStepping mentor
0x125ecf2e0 (snippetMentor 0x125ecf2e0 -> loopingMentor 0x0 -> superEditMentor
0x0 -> editMentor 0x115c55ed0 -> gaplessMentor 0x0 -> audioMentor 0x115c50ad0
default      17:18:38.942481-0400    GarageSale <<<< Boss >>>>
bossBuildMentorForTrack: (0x107917310) track 2 (vide) enableForStepping mentor
0x115e2f2e0 (snippetMentor 0x0 -> loopingMentor 0x0 -> superEditMentor 0x0 ->
```


editMentor 0x115e2f2e0 -> gaplessMentor 0x0 -> videoMentor 0x125e21250
default 17:18:38.942601-0400 GarageSale <<<< Boss >>>>
FigPlaybackBossCreate: returning boss = 0x107917310
default 17:18:38.942998-0400 GarageSale <<<< Boss >>>>
FigPlaybackBossSendSamplesForTimeRange: (0x107917310) called, startTime =
0.000, endTime = inf, options = 0
default 17:18:38.943147-0400 GarageSale <<<< Boss >>>>
bossSetMentorModesToForwardPlayback: (0x107917310) called, tracks 0...1, start time
0.000, end time inf, rate 1.00, previousOutputDisposition=1
default 17:18:38.944430-0400 GarageSale <<<< Remaker >>>>
remaker_StartOutput: (0x107918950) posting Remaker_Started
default 17:18:38.944452-0400 GarageSale <<<< FigExportCommmon >>>>
remakerFamily_PostFailureNotificationIfError: (0x107918950) state started
default 17:18:38.960258-0400 GarageSale <<<< Boss >>>>
figPlaybackBoss_MentorStopping: (0x107917310) all mentors are now idle
default 17:18:38.960305-0400 GarageSale <<<< FigExportCommmon >>>>
remakerFamily_SinglePassBossBecameIdle: (0x107918950) state started
default 17:18:38.960320-0400 GarageSale <<<< FigExportCommmon >>>>
remakerFamily_handleLastStep: (0x107918950) state started
default 17:18:38.962371-0400 GarageSale <<<< FigExportCommmon >>>>
remakerFamily_PostFailureNotificationIfError: (0x107918950) state finish writing called
default 17:18:38.962421-0400 GarageSale <<<< FigAssetExportSession
>>>> figAssetExportSession_transitionToStatus: 0x106d5e8a0 newStatus 4
default 17:18:38.962419-0400 GarageSale <<<< FigExportCommmon >>>>
remakerFamily_handleLastStep: Leaving [0x107918950] err 0 state finish writing
completed
default 17:18:38.962769-0400 GarageSale <<<< FigExportCommmon >>>>
assetReaderTrack_Invalidate: (0x6000020ef600)
default 17:18:38.962788-0400 GarageSale <<<< FigExportCommmon >>>>
assetReaderTrack_Invalidate: (0x600002010900)
default 17:18:38.962800-0400 GarageSale <<<< FigExportCommmon >>>>
remakerFamily_Finalize: (0x107918950) state invalidated
default 17:18:38.962815-0400 GarageSale <<< URLAsset >>>
URLAssetFinalize: Called for asset 0x60000009db00
default 17:18:38.962894-0400 GarageSale <<<< FigExportCommmon >>>>
FigAssetReaderTrackFinalize: (0x6000020ef600)
default 17:18:38.962910-0400 GarageSale <<<< FigExportCommmon >>>>
assetReaderTrack_Invalidate: (0x6000020ef600)
default 17:18:38.962923-0400 GarageSale <<<< FigExportCommmon >>>>
FigAssetReaderTrackFinalize: (0x600002010900)
default 17:18:38.962933-0400 GarageSale <<<< FigExportCommmon >>>>
assetReaderTrack_Invalidate: (0x600002010900)
default 17:18:38.964793-0400 GarageSale <<<< FigAssetExportSession
>>>> FigAssetExportSession_Finalize: 0x106d5e8a0
default 17:18:38.964945-0400 GarageSale <<< URLAsset >>>
URLAssetFinalize: Called for asset 0x600000f3f400
default 17:18:38.964999-0400 GarageSale <<<< FigCustomURLHandling

```

>>>> curl_invalidateOnQueue: 0x600003d15340 called
default      17:18:38.965130-0400    GarageSale No account with token and no
fallback to relay connector, will return default connector without token
default      17:18:38.971026-0400    GarageSale CSSM Exception: -2147415792
CSSMERR_CSP_INVALID_KEY
default      17:18:38.987234-0400    GarageSale CSSM Exception: -2147415792
CSSMERR_CSP_INVALID_KEY
default      17:18:39.287455-0400    GarageSale *** Assertion failure in -
[IHEbayRelayConnector validateAccessTokenExpirationDate:],
IHGenericEbayConnector.m:70
default      17:18:39.304552-0400    GarageSale *** Terminating app due to
uncaught exception 'NSInternalInconsistencyException', reason: 'need account id'
*** First throw call stack:
(
    0 CoreFoundation          0x0000000184f8c540 __exceptionPreprocess +
176
    1 libobjc.A.dylib          0x0000000184a7deb4 objc_exception_throw + 60
    2 Foundation              0x00000001860d639c -[NSDate
initWithCoder:] + 0
    3 GarageSale              0x0000000105046620 -
[IHGenericEbayConnector validateAccessTokenExpirationDate:] + 600
    4 GarageSale              0x0000000105046334 __49-
[IHGenericEbayConnector ensureValidAccessToken:]_block_invoke + 48
    5 libdispatch.dylib       0x0000000184c86cb8
_dispatch_call_block_and_release + 32
    6 libdispatch.dylib       0x0000000184c88910 _dispatch_client_callout +
20
    7 libdispatch.dylib       0x0000000184c8ba5c
_dispatch_queue_override_invoke + 928
    8 libdispatch.dylib       0x0000000184c9a1f4 _<...>
error 17:18:39.344310-0400    GarageSale An uncaught exception was raised
error 17:18:39.344476-0400    GarageSale need account id
error 17:18:39.344542-0400    GarageSale (
    0 CoreFoundation          0x0000000184f8c540 __exceptionPreprocess +
176
    1 libobjc.A.dylib          0x0000000184a7deb4 objc_exception_throw + 60
    2 Foundation              0x00000001860d639c -[NSDate
initWithCoder:] + 0
    3 GarageSale              0x0000000105046620 -
[IHGenericEbayConnector validateAccessTokenExpirationDate:] + 600
    4 GarageSale              0x0000000105046334 __49-
[IHGenericEbayConnector ensureValidAccessToken:]_block_invoke + 48
    5 libdispatch.dylib       0x0000000184c86cb8
_dispatch_call_block_and_release + 32
    6 libdispatch.dylib       0x0000000184c88910 _dispatch_client_callout +
20
    7 libdispatch.dylib       0x0000000184c8ba5c

```

```

_dispatch_queue_override_invoke + 928
  8 libdispatch.dylib          0x0000000184c9a1f4
_dispatch_root_queue_drain + 392
  9 libdispatch.dylib          0x0000000184c9aa04 _dispatch_worker_thread2
+ 156
 10 libsystem_pthread.dylib     0x0000000184e360d8 _pthread_wqthread +
228
 11 libsystem_pthread.dylib     0x0000000184e34e30 start_wqthread + 8
)
default      17:18:39.346048-0400   WindowManager   Connection invalidated I
(35288) GarageSale
default      17:18:39.344779-0400   kernel AMFI: Denying core dump for pid 35288
(GarageSale)
default      17:18:39.344896-0400   kernel GarageSale[35288] Corpse allowed 1 of
5
default      17:18:39.361004-0400   runningboardd   XPC connection
invalidated:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]
default      17:18:39.363255-0400   runningboardd   Invalidating assertion
414-375-259221 (target:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]) from
originator [osservice<com.apple.coreservices.launchservicesd>:375]
default      17:18:39.364516-0400   runningboardd   Invalidating assertion
414-375-259223 (target:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]) from
originator [osservice<com.apple.coreservices.launchservicesd>:375]
default      17:18:39.364775-0400   runningboardd   Invalidating assertion
414-402-259179 (target:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]) from
originator [osservice<com.apple.WindowServer(88)>:402]
default      17:18:39.367749-0400   runningboardd   Invalidating assertion
414-402-259178 (target:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]) from
originator [osservice<com.apple.WindowServer(88)>:402]
default      17:18:39.367857-0400   runningboardd   Invalidating assertion
414-402-259222 (target:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]) from
originator [osservice<com.apple.WindowServer(88)>:402]
default      17:18:39.371150-0400   runningboardd
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]
termination reported by launchd (2, 6, 6)
default      17:18:39.371185-0400   runningboardd   Removing process:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]
default      17:18:39.371412-0400   runningboardd   Removing launch job for:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]
default      17:18:39.371608-0400   runningboardd   Removed job for
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]

```

default 17:18:39.371624-0400 runningboardd Removing assertions for terminated process:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]
default 17:18:39.371748-0400 runningboardd Removed last relative-start-date-defining assertion for process
app<application.com.iwascoding.garagesale9.43466292.43466546(501)>
default 17:18:39.388010-0400 runningboardd Calculated state for app<application.com.iwascoding.garagesale9.43466292.43466546(501)>: none (role: None)
default 17:18:39.388206-0400 runningboardd Calculated state for app<application.com.iwascoding.garagesale9.43466292.43466546(501)>: none (role: None)
default 17:18:39.388745-0400 launchservicesd Hit the server for a process handle 762ec79000089d8 that resolved to:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288]
default 17:18:39.388952-0400 gamepolicyd Received state update for 35288 (app<application.com.iwascoding.garagesale9.43466292.43466546(501)>, none-NotVisible
default 17:18:39.395827-0400 loginwindow -[PersistentAppsSupport applicationQuit:] | for app:GarageSale, _appTrackingState = 2
default 17:18:39.396920-0400 loginwindow -[PersistentAppsSupport applicationQuit:] | App: GarageSale, quit, updating active tracking timer
error 17:18:39.497313-0400 runningboardd RBSStateCapture remove item called for untracked item 414-402-259222 (target:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288])
error 17:18:39.497329-0400 runningboardd RBSStateCapture remove item called for untracked item 414-402-259179 (target:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288])
error 17:18:39.497363-0400 runningboardd RBSStateCapture remove item called for untracked item 414-402-259178 (target:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288])
error 17:18:39.497378-0400 runningboardd RBSStateCapture remove item called for untracked item 414-375-259221 (target:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288])
error 17:18:39.497391-0400 runningboardd RBSStateCapture remove item called for untracked item 414-375-259223 (target:
[app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288])
default 17:18:41.700675-0400 ReportCrash Formulating fatal 309 report for corpse[35288] GarageSale
default 17:18:41.705054-0400 WindowManager Connection invalidated | (35321) Open and Save Panel Service (GarageSale)
default 17:18:41.707987-0400 WindowManager Connection invalidated | (35324) QuickLookUIService (Open and Save Panel Service (GarageSale))
default 17:18:41.708446-0400 ReportCrash loadStoreInfo [platform 1] com.iwascoding.garagesale9 from file:///Applications/GarageSale.app/
default 17:18:41.718672-0400 runningboardd Invalidating assertion 414-375-259194 (target:

[xpcservice<com.apple.appkit.xpc.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288])(501)>:35321:35321]) from originator [oservice<com.apple.coreservices.launchservicesd>:375]
default 17:18:41.720880-0400 runningboardd XPC connection
invalidated:
[xpcservice<com.apple.appkit.xpc.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288])(501)>:35321:35321])
default 17:18:41.721071-0400 runningboardd Invalidating assertion
414-375-259197 (target:
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xpc.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288])(501)>:35321:35321])(501)>:35324:35324]) from originator [oservice<com.apple.coreservices.launchservicesd>:375]
default 17:18:41.724001-0400 osanalyticshelper creating type 309 as /Users/daniel/Library/Logs/DiagnosticReports/.GarageSale-2024-05-16-171841.ips
default 17:18:41.724174-0400 runningboardd
[xpcservice<com.apple.appkit.xpc.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288])(501)>:35321:35321])
termination reported by launchd (2, 9, 9)
default 17:18:41.724812-0400 runningboardd Removing process:
[xpcservice<com.apple.appkit.xpc.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288])(501)>:35321:35321])
default 17:18:41.724957-0400 runningboardd removeJobWithInstance
called for identity without existing job
[xpcservice<com.apple.appkit.xpc.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288])(501)>:35321:35321])
default 17:18:41.724988-0400 runningboardd Removing assertions for
terminated process:
[xpcservice<com.apple.appkit.xpc.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288])(501)>:35321:35321])
default 17:18:41.725948-0400 runningboardd
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xpc.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.43466546(501)>:35288])(501)>:35321:35321])(501)>:35324:35324]) termination
reported by launchd (2, 9, 9)
default 17:18:41.727442-0400 ReportCrash client log create type 309 result
success: /Users/daniel/Library/Logs/DiagnosticReports/
GarageSale-2024-05-16-171841.ips
default 17:18:41.727232-0400 osanalyticshelper Saved type
'309(<private>)' report (8 of max 25) at /Users/daniel/Library/Logs/DiagnosticReports/
GarageSale-2024-05-16-171841.ips
default 17:18:41.727319-0400 osanalyticshelper xpc log creation type 309
result success: /Users/daniel/Library/Logs/DiagnosticReports/
GarageSale-2024-05-16-171841.ips
default 17:18:41.732743-0400 runningboardd Removing process:
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xpc.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.

```
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324]
default 17:18:41.732863-0400 runningboardd removeJobWithInstance
called for identity without existing job
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324]
default 17:18:41.732898-0400 runningboardd Removing assertions for
terminated process:
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324]
default 17:18:41.736485-0400 ReportCrash com.iwascoding.garagesale9 is
not a MetricKit client
default 17:18:41.736593-0400 runningboardd Process:
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324] has changes in
inheritances: (null)
default 17:18:41.736896-0400 runningboardd Process:
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324]: Sending
inheritance changeset: <RBSInheritanceChangeSetI gained:(null) lost:({
  <RBSInheritanceC environment:(none) name:com.apple.launchservices.userfacing
origID:414-375-259197 0>
})>
default 17:18:41.739484-0400 gamepolicyd Received state update for 35324
(xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324, none-NotVisible
default 17:18:41.739531-0400 gamepolicyd Received state update for 35321
(xpcservice<com.apple.appkit.xpc.openAndSavePanelService([app<application.com.iw
ascoding.garagesale9.43466292.43466546(501)>:35288])(501)>:35321, none-
NotVisible
default 17:18:41.745331-0400 runningboardd XPC connection
invalidated:
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324]
error 17:18:41.831623-0400 runningboardd RBSStateCapture remove item
called for untracked item 414-375-259197 (target:
[xpcservice<com.apple.quicklook.QuickLookUIService([xpcservice<com.apple.appkit.xp
c.openAndSavePanelService([app<application.com.iwascoding.garagesale9.43466292.
43466546(501)>:35288])(501)>:35321:35321))(501)>:35324:35324])
error 17:18:41.831670-0400 runningboardd RBSStateCapture remove item
called for untracked item 414-375-259194 (target:
[xpcservice<com.apple.appkit.xpc.openAndSavePanelService([app<application.com.iw
```

```
ascoding.garagesale9.43466292.43466546(501)>:35288])(501)>:35321:35321])
default      17:18:44.401211-0400    loginwindow  -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] |    previouslyRunningApps: (
    {
        BackgroundState = 0;
        BundleID = "com.iwascoding.garagesale9";
        Hide = 0;
        Path = "/Applications/GarageSale.app";
    },
    {
        BackgroundState = 2;
        BundleID = "com.apple.finder";
        Hide = 0;
        Path = "/System/Library/CoreServices/Finder.app";
    },
    {
        BackgroundState = 2;
        BundleID = "com.apple.console";
        Hide = 0;
        Path = "/System/Applications/Utilities/Console.app";
    }
)
```